

PSPF Series

Compact Level Compensator

AIRBEST



ELECTRONICS

RoHS

Features

- ◇ Small size and light weight
- ◇ External buffer spring
- ◇ Different buffer stroke can be selected


Advantages

- ◇ Especially suitable for electronic industry
- ◇ Flexible contact with fragile workpieces, compensate the height difference of workpieces
- ◇ Suitable for various working conditions




Applications

- ◇ Suitable for handling workpieces with height difference
- ◇ Handle parts sensitive to pressure with flexible contact
- ◇ Suitable for electronic industry



Structure

- ◇ (1) Vacuum generator connection
- ◇ (2) Guide sleeve
- ◇ (3) Mounting nut
- ◇ (4) Spring
- ◇ (5) Suction cup connection
- ◇ (6) Vacuum generator connection



Mounting Parts

PSPC

PSPD

PSPS

PSPT

PSPH

PSPD

PSPF

PJS

PJT

PJT

PJB

PJE

PJH

PJP

PJQ

PDA

PDR

PTS

PTK

PGW

PSPF Series

Compact Level Compensator

AIRBEST

How to order

PSPF - E 6 LB6 M5F - M14

① ② ③ ④ ⑤ ⑥


① Series	② Buffer style	③ Buffer stroke	④ Rotary type
PSPF	E - External spring	4 15	B6 - Vertical rotating, pagoda fitting $\phi 6$ hose
		6 30	LB6 - Lateral rotating, pagoda fitting $\phi 6$ hose
		10	LR1 - Lateral rotating, Rc1/8 inside tapered thread
⑤ Connection thread	⑥ Mounting thread		
M5F - M5×0.8 female thread	M11 - M11×1		
M8F - M8×1.25 female thread	M14 - M14×1		
M10M - M10×1.25 male thread	M16 - M16×1.5		

Selection

Model/Connection thread	B6M5F	LB6M5F	B6M8F	LB6M8F	LR1M10M
PSPF-E4B6M5F-M11	PSPF-E4LB6M5F-M11	-	-	-	-
PSPF-E10B6M5F-M11	PSPF-E10LB6M5F-M11	-	-	-	-
PSPF-E6B6M5F-M14	PSPF-E6LB6M5F-M14	PSPF-E6B6M8F-M14	PSPF-E6LB6M8F-M14	-	-
PSPF-E15B6M5F-M14	PSPF-E15LB6M5F-M14	PSPF-E6B6M8F-M14	PSPF-E15LB6M8F-M14	-	-
-	-	-	-	-	PSPF-E10LR1M10M-M16
-	-	-	-	-	PSPF-E30LR1M10M-M16

○ Note: It is suggested that the actual working compressed stroke of level compensator should not exceed 50% of its max. compressed stroke

Dimensions(mm)



PSPF-E□B6M5F-M11

PSPF-E□B6M5F(M8F)-M14


Model/Size	H	G	L	Y	Stroke	Weight g
PSPF-E4B6M5F-M11	30	M5×0.8	6	8	4	26
PSPF-E10B6M5F-M11	42	M5×0.8	6	20	10	29.5
PSPF-E6B6M5F-M14	40	M5×0.8	6	13	6	53
PSPF-E15B6M5F-M14	57	M5×0.8	6	30	15	64.5
PSPF-E6B6M8F-M14	40	M8×1.25	8	13	6	55
PSPF-E15B6M8F-M14	57	M8×1.25	8	30	15	65

PSPF Series

Compact Level Compensator


AIRBEST

Dimensions(mm)



PSPF-E□LB6M5F-M11

PSPF-E□LB6M5F(M8F)-M14



PSPF-E□LR1M10M-M16

Model/Size	H	G	L	Y	Stroke	Weight g
PSPF-E4LB6M5F-M11	52	M5×0.8	6	8	4	42
PSPF-E10LB6M5F-M11	64	M5×0.8	6	20	10	61
PSPF-E6LB6M5F-M14	73	M5×0.8	6	13	6	98
PSPF-E15LB6M5F-M14	90	M5×0.8	6	30	15	112
PSPF-E6LB6M8F-M14	73	M8×1.25	8	13	6	96
PSPF-E15LB6M8F-M14	90	M8×1.25	8	30	15	108

Model/Size	H	Y	Stroke	Weight g
PSPF-E10LR1M10M-M16	94	20	10	213
PSPF-E30LR1M10M-M16	134	60	30	256

Mounting Pins

PSPC

PSPL

PSPS

PSPT

PSPH

PSPD

PSPF

PJS

PJT

PJF

PJB

PJC

PJH

PJP

PJQ

PDA

PDR

PTS

PTK

PGW