

ZPDT Series

High-precision Digital Pressure Switch

AIRBEST



UNIVERSAL

Features

- ◇ Digital display electronic pressure switch, optional two-color display
- ◇ 4-digit seven-segment LED display
- ◇ Pressure units can be converted and displayed on the screen
- ◇ Parameter values can be displayed directly on the screen

Advantages

- ◇ Monitor the system action clearly and visually, could change the setting content and backlight display mode
- ◇ The pressure is displayed on the screen, easy to read
- ◇ Main and sub display can set parameter directly, setting steps could be reduced by 3/4
- ◇ Easy to operate with the clear display



Application

- ◇ Monitor the vacuum system, optimize the working cycle
- ◇ Adjust the system circuit, improve economic benefit of vacuum system
- ◇ Square shape is more suitable for installing panel
- ◇ Suitable for all automation handling industries

Structure

- ◇ Electronic vacuum switch, solid polycarbonate case
- ◇ Vacuum connection is Rc1/8 Male thread
- ◇ 2m connecting cable
- ◇ Optional mounting bracket and panel type mounting frame

How to order

ZPDT - C NV - R1M

①

②

③

④

Series	Pressure range	Output specification	Connection thread
ZPDT	C - Compound	NV - 1NPN+1 Analog(Voltage) output (1-5V)	R1M - Rc1/8 male thread
	P - Positive	PV - 1PNP+1 Analog(Voltage) output(1-5V)	

Selection

Model Nil

ZPDT-CNV-R1M	ZPDT-CPV-R1M	ZPDT-PNV-R1M	ZPDT-PPV-R1M
--------------	--------------	--------------	--------------

Technical parameters


Model	ZPDT-C (Compound)	ZPDT-P (Positive)
Rated pressure range	-100.0~100.0kPa	-0.100~1.000MPa
Setting pressure range	-103.0~103.0kPa	-0.103~1.030MPa
Withstand pressure	500kPa	1.5MPa
Fluid	Air, Non-corrosive gas/Non-flammable gas	Air, Non-corrosive gas/Non-flammable gas
Pressure unit	kPa	-
Set pressure resolution	MPa	0.001
	kgf/cm ²	0.01
	bar	0.01
	psi	0.1
	inHg	-
	mmHg	-
Power supply voltage	1.2 to 24V DC±10%, ripple(P-P)10% or less	
Current consumption	≤40mA (Without load)	
Switch output	Output type	Open collector (NPN or PNP)
	load current	Max.125mA
	Residual voltage	≤1.0V
	Response time	≤2.5ms (Chattering-proof function: 25ms,100ms,250ms, 500ms, 1000ms, 1500ms selectable)
Analog output	Output Voltage	1-5V ±2.5%F.S (within rated pressure range) 0.6-5V ±2.5%F.S (within rated pressure range)
	Output impedance	1kΩ
	Linearity	±1% F.S.
Display	Display	Three colors (Red/ Green/ Orange)display(sampling rate:5 times/sec,2 times/sec,1 time/sec for choice.)
	Indicator accuracy	±1%F.S.±1 digit (ambient temperature: 25±3°C)
	Repeatability	±0.3%F.S.±1 digit
	Switch ON indicator	Orange (1 indicator)OUT1
Environment	Enclosure	IP40
	Ambient temperature	0~50°C
	Temperature characteristic	±3% F.S.of rated ambient temperature 25°C (at temp. range of 0~50°C)
	Storage temperature	Storage: -10~60°C (No condensation or freezing)
	Ambient humidity	Operation/ storage:35-85%HR (No condensation)
	Withstand voltage	1000VAC in 1-min (between case and lead wire)
	Insulation resistance	50MΩ min (500V DC) (between case and lead wire)
	Vibration	Total amplitude 1.5mm Or 10G, 10Hz~150Hz~10Hz for 1 minute, two hours each direction of X, Y and Z
	Shock	100m/s ² (10G) 3 times each in direction of X, Y and Z
Port size	Rc1/8, M5	
Lead wire	Oil-resistance cable (0.15mm ²)	
Weight	67g (with 2-meter lead wire)	

ZPDT Series


AIRBEST

High-precision Digital Pressure Switch

Output circuit wiring diagrams




ZPDT-□NV-R1M 1NPN+Analog voltage output (1-5V)




ZPDT-□PV-R1M 1PNP+Analog voltage output (1-5V)


Panel instructions



Dimensions(mm)



ZPDT-□□-R1M




ZPDT-A-MB Mounting bracket A type

ZPDT Series


High-precision Digital Pressure Switch

AIRBEST


Dimensions (mm)




ZPDT-B-MB Mounting bracket B type



ZPDT-PS Panel adapter



Panel type



ZPDT-PC Front protective lid + panel adapter

Accessories

Item	Model
Mounting bracket A type	ZPDT-A-MB
Mounting bracket B type	ZPDT-B-MB
Panel adapter	ZPDT-PS
Front protective lid + panel adapter	ZPDT-PC

Vacuum Accessories

ZPS

ZFA

ZFE

ZFD

ZFB

ZFL

ZFP

ZVMB

ZVAC

ZVRA

ZVEA

ZVR

ZVRH

ZVCM

ZVD

ZVT

ZVS

ZPDT

ZPDC

ZPMR

ZSA